| | | | | r company have CE duction cooker and i | certification) are widely used in electric nverter industry |
|--|---|---|--|---|--|
| | Three p | hase rectifie | er module (the fo | llowing products ha | ve CE certification) |
| NO. | PRODUCT | WEIGHT | RATED CURRENT | PEAK VOLTAGE | PRODUCT PHOTO |
| 1 | MDS25A | 150g 160G 140G 140G | 25A | | |
| 2 | MDS35A | | 35A | 1600V | |
| 3 | MDS60A | | 60A | | |
| 4 | MDS75A | | 75A | | Gold Hill Have been been been been been been been be |
| 5 | MDS100A-3A (COPPER PLATE & NORMAL | | 100A | | |
| 6 | MDS100A-2A (COPPER PLATE & NORMAL CHIP) | | 100A | | |
| 7 | MDS100A-1A (COPPER PLATE & NORMAL | | 100A | | |
| 8 | MDS150A | | 150A | | |
| 9 | MDS200A | 500g | 200A | | |
| 10 | MDS250A | | 250A | | |
| 11 | MDS300A | | 300A | | |
| 12 | MDS400A | | 400A | | |
| 13 | MDS60A | | 60A | | and a state |
| 14 | MDS75A | 1 | 75A | | |
| 15 | MDS100A | 190g | 100A | - 1800∨ | |
| 16 | MDS150A | | 150A | | |
| 17 | MDS200A | 500g | 200A | | |
| 18 | MDS250A | 500g | 250A | | |
| 19 | MDS300A | | 300A | | |
| 20 | MDS400A | | 400A | | |
| | | | | | |
| | Tł | nyristor moo | | g products have CE | |
| NO. | PRODUCT | WEIGHT | RATED CURRENT | g products have CE PEAK VOLTAGE | certification) PRODUCT PHOTO |
| 21 | PRODUCT MT20A | WEIGHT | RATED CURRENT 20A | | |
| 21 22 | PRODUCT | 1 | RATED CURRENT | | PRODUCT PHOTO |
| 21 22 23 | PRODUCT MT20A MT50A MT100A | WEIGHT 150g | RATED CURRENT 20A 50A 100A | | PRODUCT PHOTO |
| 21 22 23 24 | PRODUCT MT20A MT50A MT100A MT200A | WEIGHT | RATED CURRENT 20A 50A 100A 200A | | PRODUCT PHOTO |
| 21 22 23 24 25 | PRODUCT MT20A MT50A MT100A MT200A MT200A | WEIGHT 150g | RATED CURRENT 20A 50A 100A 200A 25A | | PRODUCT PHOTO |
| 21 22 23 24 25 26 | PRODUCT MT20A MT50A MT100A MT200A MT200A MTC25A MTC40A | WEIGHT 150g 180g | RATED CURRENT 20A 50A 100A 200A 25A 40A | | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 | PRODUCT MT20A MT50A MT100A MT200A MTC25A MTC40A MTC55A | WEIGHT 150g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A | | |
| 21 22 23 24 25 26 27 28 | PRODUCT MT20A MT50A MT100A MT200A MT200A MTC25A MTC40A MTC55A MTC70A | WEIGHT 150g 180g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A | | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 | PRODUCT MT20A MT50A MT100A MT200A MTC25A MTC40A MTC55A MTC70A MTC90A | WEIGHT 150g 180g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 | PRODUCT MT20A MT50A MT100A MT200A MT200A MTC25A MTC40A MTC55A MTC70A MTC90A MTC110A | WEIGHT 150g 180g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A 110A | | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 | PRODUCT MT20A MT50A MT100A MT200A MT200A MTC25A MTC40A MTC55A MTC70A MTC90A MTC110A MTC130A | WEIGHT 150g 180g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A 110A 130A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 32 | PRODUCT MT20A MT50A MT100A MT200A MT200A MTC25A MTC40A MTC55A MTC70A MTC90A MTC110A MTC130A | WEIGHT 150g 180g 160g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A 110A 130A 160A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 32 33 | PRODUCT MT20A MT50A MT100A MT200A MT200A MT255A MTC40A MTC70A MTC90A MTC110A MTC130A MTC160A MTC200A | WEIGHT 150g 180g 160g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A 110A 130A 160A 200A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 32 33 33 34 | PRODUCT MT20A MT50A MT100A MT200A MT200A MT200A MTC25A MTC40A MTC55A MTC70A MTC110A MTC130A MTC160A MTC250A | WEIGHT 150g 180g 160g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A 110A 130A 160A 200A 200A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 32 33 33 34 35 | PRODUCT MT20A MT50A MT100A MT200A MT200A MT200A MT255A MTC55A MTC70A MTC110A MTC130A MTC200A MTC200A MTC200A MTC250A MTC300A | WEIGHT 150g 180g 160g 250g | RATED CURRENT 20A 50A 100A 200A 25A 40A 555A 70A 90A 110A 130A 160A 200A 250A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 32 33 33 34 35 36 | PRODUCT MT20A MT50A MT100A MT200A MTC25A MTC40A MTC55A MTC70A MTC110A MTC130A MTC200A MTC130A MTC200A MTC200A MTC100A MTC200A MTC200A MTC200A MTC200A MTC200A MTC300A MTC400A | WEIGHT 150g 180g 160g 250g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A 110A 130A 160A 250A 300A 400A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 32 33 33 34 35 | PRODUCT MT20A MT50A MT100A MT200A MT200A MT200A MT255A MTC40A MTC55A MTC70A MTC100A MTC130A MTC250A MTC250A MTC300A MTC400A MTC400A | WEIGHT 150g 180g 180g 250g 900g 1.5KG | RATED CURRENT 20A 50A 100A 200A 250A 100A 200A 110A 130A 160A 200A 250A 300A 400A 500A | PEAK VOLTAGE | PRODUCT PHOTO |
| 21 22 23 24 25 26 27 28 29 30 31 32 33 33 33 34 35 36 | PRODUCT MT20A MT50A MT100A MT200A MTC25A MTC40A MTC55A MTC70A MTC110A MTC130A MTC200A MTC130A MTC200A MTC200A MTC100A MTC200A MTC200A MTC200A MTC200A MTC200A MTC300A MTC400A | WEIGHT 150g 180g 160g 250g 900g | RATED CURRENT 20A 50A 100A 200A 25A 40A 55A 70A 90A 110A 130A 160A 250A 300A 400A | PEAK VOLTAGE | PRODUCT PHOTO |

| Sing | gle phase full control (h 200\ | alf control) /. the price v | rectifier bridge n will increase or d | nodule (based on 160 lecrease by 3%) has | 00V, with each increase or decrease of CE certification |
|------|-----------------------------------|--------------------------------|--|---|--|
| NO. | PRODUCT | WEIGHT | RATED CURRENT | PEAK VOLTAGE | PRODUCT PHOTO |
| 40 | MTQ30 | | 30A | | |
| 41 | MTQ60 | 150g 250g | 60A | | |
| 42 | MTQ100 | | 100A | | |
| 43 | MTQ150 | | 150A | 1600V | |
| 44 | MTQ200 | | 200A | | |
| 45 | MDTQ30A | | 30A | | |
| 46 | MDTQ60A | | 60A | | |
| 47 | MDTQ100A | 500g | 100A | | |
| 48 | MDTQ150A | 500g | 150A | | |
| | R | ectifier mod | lule (the followin | g products have CE | certification) |
| NO. | PRODUCT | WEIGHT | RATED CURRENT | PEAK VOLTAGE | PRODUCT PHOTO |
| 49 | MD20A | | 20A | | |
| 50 | MD50A | 150g | 50A | | |
| 51 | MD100A | | 100A | | |
| 52 | MD130A | 220g | 130A | | |
| 53 | MD200A | 2209 | 200A | | |
| 54 | MD250A | 800g | 250A | | |
| 55 | MD300A | ooog | 300A | | |
| 56 | MD500A | 1400g | 500A | | |
| 57 | MDC25A | | 25A | | |
| 58 | MDC40A | | 40A | 1600V | |
| 59 | MDC55A | 150g | 55A | | |
| 60 | MDC70A | | 70A | | |
| 61 | MDC90A | | 90A | | |
| 62 | MDC110A | 220g | 110A | | 30. |
| 63 | MDC130A | | 130A | | |
| 64 | MDC160A | | 160A | | 11 |
| 65 | MDC200A | | 200A | | |
| 66 | MDC250A | 1kg | 250A | | a de la dela de la dela dela dela dela d |
| 67 | MDC300A | | 300A | | |
| 68 | MDC350A | | 350A | | |
| 69 | MDC400A | | 400A | | |
| 70 | MDC500A | 1.5kg | 500A | | |
| 71 | MDC600A | | 600A | | |
| 72 | MDC800A | | 800A | | |

| | Single phase | full bridge r | ectifier module | (the following produce | cts have CE certification) |
|-----|---------------------------|---------------|------------------|------------------------|--|
| NO. | PRODUCT | WEIGHT | RATED CURRENT | PEAK VOLTAGE | PRODUCT PHOTO |
| 73 | MDQ30A | | 30A | | |
| 74 | MDQ60A | | 60A | | |
| 75 | MDQ75A | | 75A | | |
| 76 | MDQ100A | | 100A | | |
| 77 | MDQ150A | | 150A | | |
| 78 | MDQ200A | 450g | 200A | | |
| | Controllable rectifi | er module (tl | ne following pro | oducts have ROHS ce | rtification and CE certification) |
| NO. | PRODUCT | WEIGHT | RATED CURRENT | PEAK VOLTAGE | PRODUCT PHOTO |
| 79 | MDTC25A(20宽) | | 25A | | |
| 80 | MDTC25A(25宽) | 750g | 25A | - | |
| 81 | MDTC40A | | 40A | - | CONTRACTOR OF THE STATE |
| 82 | MDTC55A | 150g | 55A | | |
| 83 | MDTC70A | | 70QA | | |
| 84 | MDTC90A | 230g | 90A | | A transformer D |
| 85 | MDTC110A | | 110A | - 1600∨ | |
| 86 | MDTC130A | | 130A | | |
| 87 | MDTC160A | | 160A | | |
| 88 | MDTC200A | | 200A | | |
| 89 | MDTC250A | 000-7 | 250A | | Selection of the select |
| 90 | MDTC300A | 900g | 300A | | |
| 91 | MDTC400A | - 1.5kg | 400A | | |
| 92 | MDTC500A | 1.5Kg | 500A | | |
| 93 | MDTC600A | 2.5kg | 600A | | |
| 94 | MDTC800A | 3.5kg | 800A | | |
| (an | ti parallel) controllable | rectifier mo | dule (the follow | ing products have R | DHS certification and CE certification |
| NO. | PRODUCT | WEIGHT | RATED CURRENT | PEAK VOLTAGE | PRODUCT PHOTO |
| 95 | MDTX50A | | 50A | | |
| 96 | MDTX80A | 200g | 80A |] | |
| 97 | MDTX110A | | 110A | 1 | En alternative |
| 98 | MDTX140A | 000- | 140A |] | CLO C C C C C C C C C C C C C C C C C C C |
| 99 | MDTX180A | 230g | 180A | 1 | and the second s |
| 100 | MDTX200A | | 200A | 1 | |
| 101 | MDTX260A | | 260A | 1600V | <i>e</i> 7 b |
| 102 | MDTX320A | 300g | 320A | 1 | |
| 103 | MDTX400A | 1.5KG | 400A | 1 | GOLD CE AND TOTAL |
| 104 | MDTX500A | | 500A | 1 | And a state of the |

Note: the company was founded in 1992, specializing in the production of solid-state relay rectifier bridge and controllable gauge module has a history of 10 years, is a joint-stock enterprise of Jiangsu gold control technology company, MDS series 30a-300a-1600v, solid-state relay from 3a-300a-480vac, complete product series, stable and reliable quality, price concessions. In 2017, the new design and production technology of IGBT module was introduced from abroad. The internal chip was assembled with top brand products at home and abroad. The products have been mass produced and supplied to the market. The products have been widely used in the control of electric welding machine, commercial induction cooker and frequency converter industries. The order delivery period of the products is 5-15 days, and the warranty period is 18 months after they are sold.

105

106

107

MDTX600A

MDTX800A

MDTX1000A

2.5KG

3.5KG

4.5KG

600A

800A

1000A